OFFICE OF THE PRINCIPAL, SHAILABALA WOMEN'S (AUTO.) COLLEGE, CUTTACK

OTICE NO. 967 /DT. 15.3.23

SHORT TENDER CALL NOTICE

Sealed tenders are invited from Registered Firms / Manufactures / Distributors/ Authorized Dealers with valid GSTIN for supply of Utensils and CCTV for Hostel as mentioned below to Shailabala women's Autonomous College. The tenders must reach the undersigned latest by 3.00 PM on dt.22.03.2023 through registered post / speed post/ couriers. The envelope containing the tender must be superscribed on the top as **"Supply of Utensils and CCTV for Hostel"** and addressed to Principal, Shailabala Women's (Auto.) College, Mission Road, Cuttack, Pin – 753001.The details of specification of items and terms and conditions can be downloaded from College Website :www.shailabalawomenscollege.ac.in/notices.

GENERAL TERMS AND CONDITIONS

- 1. The authority reserves the right to increase/decrease the quantity as per the institute requirement and immediate availability of fund.
- 2. The authority also reserves the right to extent the date and accept or reject any or all tender without assigning any reason thereof. The college will not be responsible for non receipt of tender within the specified date and time due to any reason including postal delay.
- 3. The Bidders should furnish the proof of identical supply if any of these items to other institution, University, Colleges, State/Public Sectors. The proof of such credential should be furnished by the Supplier.
- 4. L1 bidder for utensils will be decided on the entire price of all items taken together.L1 bidder for CCTV will be decided on the entire price for all components taken together.
- 5. The bidder for CCTV must be registered company/firm/distributor/dealer to carry out the work of "Supply and Installation of CCTV/IP Camera system with accessories. The bidder must be the authorized channel partner or authorized distributor of OEM (Original Equipment Manufacturer) only. The bidder has to submit an Authority Letter from the OEM against this tender. The CCTV/IP Camera supplied should have functional guarantee for at least one year from the date of final acceptance. The firm shall also have to submit AMC (Annual Maintenance Charges) for three years after the warranty/guaranty period. The

data backup should be minimum of 1 month. The prospective bidders are requested to visit Shailabala New hostel between 11 A.M to 3.00 P.M physically for field verification before submitting the bid document. The bidders have to make a presentation of their project before opening of financial bid compulsorily.

- Due to shortage of time technical bid and financial bid will be opened on dt.22.03.2023 at 3.30 p.m. The bidders are requested to present at the time of opening.
- 7. Each and every page of the tender document, and the documents attached there should be signed by the bidder.
- 8. The bidder/dealer/distributor should have not been blacklisted by any Government or other organizations. Certificate/declaration to this effect must be given.
- 9. The materials as mentioned in the Price Bid are to be supplied to our Institute, the price bid should be sealed separately and kept inside the main envelop.
- 10. The rates should be inclusive of all costs/taxes (with breakup of GST / Taxes).
- 11. The materials shall have to be delivered and installed freely in Shailbala New Hostel within 7 days of issue of order.
- 12. The Supplier shall not assign or sublet the contract.
- 13. Any dispute shall be subject to the jurisdictions of Hon'ble High Court of Odisha.
- 14. Any act or effort on the part of the Supplier to influence anybody in the institute is liable for rejection of Tender.
- 15. The bidders should attach the following documents
- a. Firm registration certificate
- b. GSTIN Certificate.
- c. Past Record of Supply, if any.
- d. PAN / IT Return
- e. Active authorized Dealership Certificate for branded items.
- 16. Any mismatch of specification of the item in technical bid with the required specification given in tender will lead to rejection.
- 17. The bidders who are interested to participate in the bidding process are required to submit EMD@3% in the form of Demand Draft /Bank Guarantee from any scheduled Bank in favour of *Principal, Shailabala Women's (Auto.) College,*

Mission Road, Cuttack. The Local Micro and Small Enterprises registered in Odisha with the respective DIC, Khadi, Village, Cottage and Handcraft Industries , OSIC, MSME and NSIC are exempted from payment of EMD. The EMD of unsuccessful bidders will be returned latest by the 30th day the award of the contract without any interest and EMD of successful bidder will be refunded after receipt of the performance security.

- 18. The successful bidders are required to submit performance security @7% in the form of a Demand Draft / Bank Guarantee from any scheduled Bank in favor of *Principal, Shailabala Women's (Auto.) College, Mission Road, Cuttack.* The Local MSE registered bidders if selected, will submit performance security @25% of the value of performance security (i.e. 25% of the prescribed security deposit amount). The performance security remain valid for a period of 60 days beyond the date of completion of all contractual obligations of the supplier including warranty obligation.
- 19. Any claim of exemption of EMD, Tender fee or performance guarantee should be supported by Government orders from appropriate authority.
- 20. The bidders are required to submit / pay tender document cost of Rs.500/- (Nonrefundable) by demand Draft only, drawn in favour of *Principal, Shailabala Women's (Auto.) College, Mission Road, Cuttack.*

SI. No	Nam of the Items	Quantity Required
1	Aluminum Dish 60"	03
2	Aluminum Dish 40"	03
3	Aluminum Dish 32"	03
4	Kadai (big)	03
5	Kadai (Middle)	03
6	Kadai (Small)	02
7	Iron Kadai (Medium)	03
8	Idli Handi (Big) 150 Seat	02
9	Spoon	24

SPECIFICATION OF UTENSILS FOR HOSTEL

10	Rice Chhana Drum	04
11	Khanata (Big)	
12	Korana	04
13	Paniki	08
14	Belanakathi	10
15	Roti SekaJali	06
16	Thali Big	10
17	Spon (Small)	22
18	Steel Tray	450
19	Steel Mug	10
20	Steeel Drum 80 ltr	05
21	Steel dish 12"	15
22	Roti Stove	02
23	Tawa (Small)	02
24	Tawa (Big)	02
25	Knife	08
26	Jalichatu (Big)	03
27	Jalichatu (Medium)	03
28	Jalichatu(Small)	02
29	Hotcase (Big)	03
30) Tea Container	03
3	1 Steel Bucket	10
3	2 Plastic Dustbin 240 ltr	04
3	 Commercial Gas Stove (Vati Chullah 15 x15 Pipe per meter High Pressure Regulator) 	06
	Automatic chapati making machine with two tier baking oven. Capacity:800 to 1000/H, Body: Stainless Steel, Weight of Chapati :- 25- 55 GR., Size of Machine :- 6.5" x2.5", Power	01

	Required :- 1.5 KW, gas Consumption :- 1.8 KG, Weight of Machine :- 500 KG	
	Dough Ball Cutting Machine Pneumatic with Air Compressor	01
	5 KG Dough Kneader 304 Stainless Steel Body without Nut Bolt Model Gear Box with covering Body and coper Mtor	01
	Grinder (Domestic)	02
35	Grinder (Commercial)	02
36	Pressure Cooker (60 Lt, 35Lt, 22Lt)	03
37	Weighing Machine (14 x 14, 16 x 16, 20 x 20)	03
38	Dosa Tawa(48 x16 G.I.Binding with 15" choula consist of 04 nos burner)	02

Specification of Items for supply and Installation of CCTV with accessories at Shailabala New Hostel

SI. No	Item Description	QTY
	the state of the second input	1
1	Up to 64 channel IP camera input	1
	• Up to 12MP Resolution preview and playback	
	• Max 320Mbps incoming bandwidth & Recording Bandwith 320Mbps.	
	• Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	
	• Support 4 SATA HDDs up to 10TB Each, 3 USB Ports, 1 eSATA port	
	• 2 HDMI / 2 VGA simultaneous video output	
	Support Multi-brand network cameras	
	• ONVIF Version 2.4 conformance, Protocols : HTTP, HTTPS, TCP/IP,	
	IPv4/IPv6, UPnP, SNMP, RTSP, UDP, SMTP, NTP, DHCP, DNS, IP Filter,	
	PPPoE, DDNS, FTP, Alarm Server, IP Search, ONVIF 2.4, SDK,	
	CGI.Ethernet : 2 RJ-45 port (10/100M/1000Mbps) Independent or Joint	
	Working. 1st Screen: 1/4/8/9/16/25/36/64, 2nd Screen: 1/4/8/9/16.AI BY	
	Camera Supported (Face detection, FR, ANPR, Peoplecounting, Heatmap):	
	Certified- CE,FCC,RoHS,UL,BIS.	

2		
2	<u>4MP IP VD WITH SMD SPECIFICATION :</u> - 1/2.7" 4Megapixel PS	22
	emos mage sellsor.	
	• Max. 4MP (2688×1520)@25/30fps	
	• Instastream and H.264+ triple-stream encoding	
	• WDR(120dB), Day/Night (ICR), 3D-DNR, ROI, AWB, AGC, BLC	
	• 3.6mm Lens (2.8mm, 6mm Optional), Minimum Illumination : 0.005	
	Lux@F1.7 or higher ,Iris Type : Fixed aperture,Video Streaming : Main	
	stream $(2688 \times 1520@1-25/30 \text{ fps})$; sub stream $(704 \times 576@1-25/30 \text{ fps})$;	
	third stream $(1280 \times 720@1, 25/20 \text{ frs})$, sub stream $(704 \times 570@1-25/30 \text{ fps})$,	
	third stream $(1280 \times 720@1-25/30 \text{ fps})$, Audio I/O : 1Ch (RCA port), Alram	
	I/O- (1ch), Cyber Security : Video encryption; firmware encryption;	
	configuration encryption; Digest; WSSE; account lockout; security logs;	
	IP/MAC filtering; generation and importing of X.509 certification; syslog;	
	HTTPS; 802.1x; trusted boot; trusted execution; trusted upgrade, Smart	
	Detection : Tripwire; intrusion (Recognition of human and vehicle)	
	• IR Range of 50 Mtrs or higher, IP67, IK10, Micro SD Card, PoE. Certified-	
	CE,FCC,RoHS,UL,BIS	
3	4MP IP Bullet with SMD Specification :-	12
	1/2.7" 4Megapixel PS CMOS Image Sensor	
	• H.265+ and H.264+ triple-stream encoding	
	• Max 25/30fps@4MP(2688×1520)	
	• WDR(120dB), Day/Night (ICR), 3D-DNR, ROI, AWB, AGC, BLC, HLC	
	• IR Range of 50 Mtrs or higher	
	• 3.6mm fixed lens (2.8mm, 6mm optional)	
	• Built-in Mic, Micro SD Card, IP67, (FTP; Micro SD Card (support max. 256	
	GB); NAS PoE.	
	• Support Starlight Technology ,Minimum Illumination : 0.005 Lux@F1.7	
	(Color, 30IRE) 0.0005 Lux@F1.7 (B/W, 30IRE) 0 Lux (IR on) or higher,	
	RAM & ROM : 512MB & 128MB, Video Streaming : Main stream (2688 ×	
	1520@1-25/30 fps); sub stream (704 × 576@1-25/30 fps);	
	third stream (1280 × 720@1-25/30 fps), Audio I/O -1 Ch (RCA), Alarm I/O-	
	1Ch, Protocol: HTTP; TCP; ARP; RTSP; RTP; UDP; RTCP; SMTP; FTP;	
	DHCP; DNS; DDNS; PPPoE; IPv4/v6; SNMP;	
	QoS; UPnP; NTP; ONVIF (Profile S/Profile G); CGI; P2P,Smart Detection :	
	Tripwire, Intrusion (Recognition of human and vehicle). Certified-	
	CE,FCC,RoHS,UL,BIS.	
4	10 Ports Switch with 8 Gigabit PoE Ports & 2 Gigabit	4
-	Uplink Ports	•
	Uplink Port-2,1000Mbps;Transmission Distance: 0-100m,Switch Capacity-	
	20Gbps,Packet Forwarding Rate-1.488Mpps/port,PoE Port-8,1000Mbps;RJ45	
	port;Max.30W Output of Single PoE Port Transmission distance :0~100. PoE	
	Power Budget-94W, watdog-Support, VLAN-Support, All ports support	
	MDI/MDIX,ESD-Air discharge: 1.5KV; Contact discharge: 1.5KV, PoE	
	Standard- IEEE802.3af, IEEE802.3at, Network Protocol-	
	IEEE802.3i/802.3u/802.3x/802.3af/802.3ab, Switch Capacity-20Gbps Full	
	duplex, Built-in Power Supply, Input: 110-264V AC, 50/60Hz	

5	6 Ports Switch with 4 Gigabit PoE Ports & 2 Gigabit Uplink Ports	3
	opining Fore, 2, 1000101005; Transmission Distance: 0, 100m / 1000Mbps:	
	Read ports, Max. 50 w Output of Single PoE Port Support	
	IEEE802.3i/802.3u/802.3x/802.3ab, PoE Power Budget: 48W, Network	
	Standard:IEEE802.3i/802.3u/802.3x/802.3ab, Switch Capacity :12 Gbps Full	
	duplex, VLAN -Support, Watchdog -Support, Anti-Thunder Level :Common mode: 2KV Differential mode: 2KV - Descent Common (5W) - Rever	
	mode: 2KV,Differential mode: 2KV, Power Consumption:<5W, Power Source:Built-in Power Supply, Input: 110-264V AC, 50/60Hz.	
	Source. Built-in Fower Supply, input: 110-204 V AC, 50/00H2.	100010
6	Cat6, 4Pair 23AWG UTP Cable	1220Mtr
	Exceed ISO/IEC 11801, IEC 61156-5, ANSI/TIA /EIA- 568-C.2 Class E	
	Standards backward	
	compatible to Cat5e Applications, 23 AWG cable, Optionally Available in	
	Low Smoke Zero	
	Halogen and PE jacket and Armoured, Insulation :Polyethylene (HDPE),	
	Approximate OD:5.80mm,Cross Filler:HDPE, Resistance Unbalance:5% Max, Conductor Resistance of solid cable:93.5Ω/1000 Mtr@20°C Max,	
	Max, Conductor Resistance of solid cable. 95.552 1000 Million and Max Mutual Capacitance :5.6nf/100Mtr. Max, NVP: 69%, Min Bending	
	Radius:10x Jacket Dia , Colour of Sheath :Grey (RAL-7035). Certified-CE ,	
	FCC,RoHS	
7	9U INDOOR RACK	1
/	Wall Mount Rack 9U 630mm deep 19",	
	L 6mm Vertical Mounting Rail with clear 'U' Marking.	
	a a conclust Cooling Fan Options (MIII 4).	
	Cable entry/exit provision (minimum 2) at top and bottom with rubber at	
	adaaa	
	Front with Toughened Glass Door & Lock (5mm).	
	$1 \circ 1 \circ$	
	Powder coated Color- KAL-7055, with mounting contact and 14001:2015 conforms to DIN41494 or equivalent ISO 9001:2015 and 14001:2015	
	Standards. For Small Networking, Telecom, Audio video, CCTV applications.	
	For Small Networking, Telecolii, Audio Video, COT + depression	
	CE & RoHS Compliance.	7
8	2U INDOOR RACK	7
0	$\alpha \beta \alpha \lambda$ (MC CHEET) I form mick. Construction- worked, 100 ∞	
	Bottom cover: cable entry cut-outs, Front Door. Lockable with Eber & Rey,	
	PDU 3 Sockets, Included	
	Standard finish: Powder coated., Differentiator Quality, Load Bearing	
	Capacity - 10kg.	
	Width- 450 mm , Depth-350mm	1Pkt
9	RJ45 Connector	2
10	8TB HDD 55" LED DISPLAY	1
11		150pcs
12	Conduct Pipe 1" 5/5 Gang Box	34Nos
13	Cabilling & installation	
14	AMC 1st Year after warranty Period	
15	AMC 1st Year after warranty Period AMC 2nd Year after warranty Period	
16	AMC 2nd Year after warranty Period	
17 18	Inverter 1600 VA	01
18	Inverter Battery	01
19	Inverter Dattery	

1. The OEM of CCTV component should have ISO Certifications for Quality, Environment, Security management, Health & Safety Management system, etc. for manufacturing of all types of Cameras, NVR/ DVR and allied component. (ISO 9001 : 2015,ISO 14001:2015,ISO 27001:2013,ISO 45001: 2018,ISO 27032 :2012.

The OEM of CCTV component should be CMMI Level 5 or above certification.
 The OEM of CCTV component should have General Data Protection Regulation (GDPR) certification.

4. The OEM of Camera, Storage, NVR/ VMS Software and Network Switches should not be an entity having its major shareholding stake by any government or its entity or originated/founded by personnel from Defence origin.

5. OEM should not have land border sharing with india.

6. No OEM should be banned/suspended by ONVIF since last five years from the date of publishing the bid document its requiered on OEM letterhead.

7. OEM should not be blacklisted or discontinued any Government Organization .

8.0EM should have Service & Reparing centre in Odisha in their own name. This is to be supported with documentary evidence at least 10 years.

9. All the CCTV Component such as Camera, VMS, NVR, DVR, etc should be from same OEM for seamless integration and ease of operation. All CCTV cameras offered in this tender should be UL, CE, FCC, RoHS and BIS certified.

10. OEM authorization/Manufacturer authorization certificate is mandatory.

Prince to 3 23

Shailabala Women's (Auto.) College, Cuttack

Tender paper for supply of Hostel Furnitures to the Principal, S. B. Women's (Auto.) College, Cuttack

Name and address of the firm:

(Mandatory)

Contact Person		(Mandatory)
	•	(Mandatory)
Mobile No.	:	(Mandatory)
Email ID	:	(Mandatory)

Cost of quotation call paper : Rs.500/-DD No. _____ Date : _____

Bank / Branch : _____

Sl. No.	Item Name/ Brand	Specification	
1			
2			
3			
4			

List of documents and sample figures (duly signed and stamped)

1.

2.

3.

4.

Authorized signatory with seal

Tender paper for supply of Hostel Furnitures to the Principal, S. B. Women's (Auto.) College, Cuttack

 Last date for submission

 PRICE BID FOR SUPPLY OF UTENSILS AND CCTV FOR HOSTEL

 Name and address of the firm:
 (Mandatory)

Contact Person	:	(Mandatory)
Mobile No.	:	(Mandatory) (Mandatory)
Email ID		(Mandatory)

Cost of quotation call paper : Rs.500/-

DD No. _____ Date : _____

Bank / Branch : _____

Security Amount Deposited :Rs._____

DD No. _____ Date : _____

Bank / Branch : _____

Sl. No.	Item Name/ Brand	Specification	Price excluding GST	GST %	Price including GST
1					
2					
3					
4					

List of documents and sample figures (duly signed and stamped)

1. .

2. .

3. .

4. .

Date :